

**IN THE CLAIMS:**

Please amend the claims as follows:

1. (Currently Amended) A method for the generation of forgery-proof documents or data records, whereby key information is generated and whereby encrypted checking information is formed from the key information and from a transaction indicator,

~~characterized in that~~

~~this objective is achieved in that the generation of the comprising the steps of generating random key information and the formation of the forming encrypted checking information from the key information and from the a transaction indicator are carried out in a cryptographically reliable contact station,~~

~~encrypting the key information in that the cryptographically reliable contact station encrypts the key information, and in that,~~

~~transmitting the encrypted checking information and the encrypted key information are transmitted by the cryptographically reliable contact station to an intermediate station, in that~~

~~the intermediate station temporarily stores storing the encrypted key information and the encrypted checking information and transmits it subsequently transmitting this to a cryptographic module of a document producer later on, at a different point in time from the transfer between the cryptographically reliable contact station and the intermediate station.~~

2. (Currently Amended) The method according to Claim 1,

~~characterized in that comprising generating~~

~~the key information is generated in such a way that the key information is formed randomly.~~

3. (Currently Amended) The method according to ~~one or more of the preceding claims~~,

~~characterized in that Claim 1, comprising~~ configuring at least one of the encrypted key information ~~and/or and~~ the encrypted checking information is ~~configured~~ in such a way that it cannot be decrypted in the intermediate station.

4. (Currently Amended) The method according to ~~one or more of the preceding claims~~,

~~characterized in that Claim 1, comprising~~ the cryptographic module ~~preferably decrypts~~ ~~decrypting~~ the key information with a key contained in the cryptographic module.

5. (Currently Amended) The method according to ~~one or more of the preceding claims~~,

~~characterized in that Claim 1, comprising~~ the document producer ~~enters~~ ~~entering~~ his own data into the cryptographic module.

6. (Currently Amended) The method according to ~~one or more of the preceding claims~~,

~~characterized in that Claim 1, comprising~~ irreversibly linking the data entered by the document producer is ~~irreversibly linked~~ to the key information by means of the cryptographic module.

7. (Currently Amended) The method according to Claim 6,  
~~characterized in that comprising irreversibly linking~~  
the data entered by the document producer and the decrypted key information ~~are~~  
~~irreversibly linked in that by using~~ the key information ~~is used~~ to form a check value for the  
document.

8. (Currently Amended) The method according to ~~one or both of Claims~~ Claim 6  
~~or 7,~~  
~~characterized in that comprising forming at least one of a document and a data record~~  
from  
the result of the irreversible linking of the data entered by the document producer with  
the decrypted key information ~~forms a document and/or a data record that is transmitted and~~  
transmitting the document or data record to a checking station.

9. (Currently Amended) The method according to Claim 8,  
~~characterized in that wherein~~  
the document or data record transmitted to the checking station contains the document  
producer's own data, at least partially in plain text.

10. (Currently Amended) The method according to ~~one or both of Claims~~ Claim 8  
~~or 9,~~  
~~characterized in that comprising entering~~  
the encrypted checking information ~~is entered~~ into the document or data record that is  
transmitted to the checking station.

11. (Currently Amended) The method according to ~~one or more of the preceding claims~~,

~~characterized in that Claim 1, comprising encrypting information remaining in the cryptographic module~~ is encrypted in such a way that it can be decrypted in the cryptographic module.

12. (Currently Amended) The method according to ~~one or more of the preceding claims~~,

~~characterized in that Claim 1, supplying the supply of the cryptographic module with the information, also in case of a supply via communication partners that are not reliable in the cryptographic sense, is carried out~~ by a cryptographically reliable station whose information can be relied on by the checking station.

13. (Currently Amended) The method according to Claim 12,  
~~characterized in that,~~

in order for a reliable station to provide reliable information for the cryptographic module, using cryptographic encryptions ~~are used~~ that the checking station can reverse.

14. (Currently Amended) The method according to ~~one or more of the preceding claims~~,

~~characterized in that Claim 1, comprising supplying the supply of the cryptographic module via communication partners that are cryptographically non-reliable~~ is carried out in such a way that the information is forwarded to the cryptographic module at a different point in time.

15. (Currently Amended) The method according to ~~one or more of Claims~~ Claim 1 ~~to 14~~,

~~characterized in that, comprising supplying the supply of the cryptographic module via communication partners that are cryptographically not reliable is carried out in such a way that an exchange of information within a dialog is not necessary.~~

16. (Currently Amended) The method according to ~~one or more of Claims~~ Claim 1 ~~to 14~~,

~~characterized in that, comprising cryptographically linking the two types of data are cryptographically linked to each other, but such that said linking cannot be discovered by means of crypto-analysis.~~

17. (Currently Amended) The method according to Claim 19,  
~~characterized in that wherein~~  
the cryptographic linking of the two types of data is such that non-linear fractions are added that are known only to the reliable contact station and to the checking station.

18. (Currently Amended) The method according to ~~one or more of the preceding~~ claims,

~~characterized in that Claim 1, wherein~~  
the generated forgery-proof documents or data records contain monetary value information.

19. (Currently Amended) The method according to Claim 18,  
~~characterized in that comprising cryptographically connecting~~  
the monetary value information ~~is cryptographically connected~~ to the document or  
data record in such a way that a check value can be formed by comparing the monetary value  
information to the document or data record.

20. (Currently Amended) The method according to ~~one or both of Claims~~ Claim  
~~18 or 19,~~  
~~characterized in that, wherein~~  
the monetary value information contains proof of the payment of postage amounts.

21. (Currently Amended) The method according to Claim 20,  
~~characterized in that comprising linking~~  
the monetary value information that proves the payment of postage amounts ~~is linked~~  
to identification data of the document producer.

22. (Currently Amended) The method according to ~~one or both of Claims~~ Claim  
~~20 or 21,~~  
~~characterized in that, comprising linking~~  
the monetary value information ~~is linked~~ to address data.

23. (Currently Amended) A value transfer center with an interface for loading monetary values,

~~characterized in that~~

~~the value transfer center contains~~ comprising an interface to receive encrypted information of a cryptographically reliable contact station and to temporarily store the received encrypted information as well as means for receiving value transfer requests by at least one cryptographic module and of forwarding the received encrypted information to the cryptographic module at a different point in time.

24. (Currently Amended) The value transfer center according to Claim 23,

~~characterized in that~~ wherein

the information is encrypted in such a way that it cannot be decrypted in the value transfer center.